



Date: 02/24/00

STATEMENT OF WORK (SOW)
For the IROAN of the
SHELTER, NONEXPANDABLE, 10 Foot EMI/EMC
NSN: 5411-01-304-6122
P/N: 82A5049A0000; CAGE: 01365



GYSGT R. WRIGHT

Equipment Specialist
Data Systems Section
(Code 844-1)
MCLB, Albany GA



STEPHANIE D. BYRD

Inventory Manager
Data Systems Section
(Code 844-1)
MCLB, Albany GA



HARVEY C. DEARING

Weapon System/Equipment Manager
Data Systems Section (Code 844-1)
MCLB, Albany GA

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	<u>Page</u>
	Cover Page	
	Table of Contents	i
1.0	Scope	1
2.0	Applicable Documents	1
2.1	Military Specifications	1
2.2	Military Standards	1
2.3	Other Government Documents and Publications	1
2.4	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	3
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	4
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))	4
3.3	Government Furnished Equipment (GFE)/Materiel (GFM) Accountability	4
3.4	Contractor Furnished Materiel (CFM)	5
3.5	Electrostatic Discharge (ESD) Control Program	5
3.6	Quality Assurance Provisions	5
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	6
4.1	Pre-Induction Checklist	6
4.2	Test/Inspection Report	6
4.3	Repairable Item Inspection Report	6
4.4	Monthly Progress Report	6
<u>Appendix</u>		
A	Standard Form 364 (Rev. 2-80)	

STATEMENT OF WORK
For the IROAN of
SHELTER, NONEXPANDABLE, 10 Foot EMI/EMC
(5411-01-304-6122)
P/N: 82A5049A0000; CAGE: 01365

1.0 Scope

This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the 10 Foot EMI/EMC Shelter, NSN: 5411-01-304-6122; hereafter referred to as the EMI/EMC SHELTER. This document contains requirements to restore the EMI/EMC SHELTER, Drawing Number 82A5049A000, CAGE 01365, to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than 6 months shelf-life remaining."

2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Specifications

MIL-C-81309	Corrosion Preventive Compounds, Water Displacing, Ultra Thin Film
MIL-DTL-55507	Shelter Electrical Equipment (with or without Equipment), Packaging of

2.2 Military Standards

MIL-STD-129	DoD Standard Practice for Military Marking
-------------	--

Military Standards (For Guidance Only)

MIL-STD-973	Configuration Management
-------------	--------------------------

2.3 Other Government Documents and Publications: The issues of those documents cited below shall be used.

SL-3-09272A	Components List for Shelter, Nonexpandable, 20ft, EMI/EMC
-------------	---

TM 5410-14/1	Intermediate Maintenance Instructions Electronics Maintenance Complex
TM 5411-14/1	Marine Corps Expeditionary Shelter System (MCESS) (Small Shelter Family) Operation and Maintenance Instructions
TM 5411-14&P/2	Marine Corps Expeditionary Shelter System, General Purpose Shelter, Operations and Maintenance Instructions with Repair Parts
82A5049A0000	Technical Data Package
DoD 4000.25-1-M	MILSTRIP Manual
NAVICPINST 4491.2A	Requisitioning of Contractor furnished Materiel from the Federal Supply System

2.4 Industry Standards

ANSI/EIA-625	Requirements for Handling Electrostatic-Discharge Sensitive ESDS Devices
ANSI/ISO/ASQC Q9002-1994	Quality Systems-Model for Quality Assurance in Production, Installation, and Servicing

(Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or <http://www.dodssp.daps.mil>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567- 6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410).

3.0 Requirements

3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the EMI/EMC SHELTER. Upon completion of repairing the subject item it shall be Condition Code "A".

3.2 Detail Tasks: The following tasks describe the different phases for repair of the EMI/EMC SHELTER:

Phase I	Pre-Induction
Phase II	Repair
Phase III	Inspection, Testing and Acceptance
Phase IV	Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 Phase I - Pre-Induction: A pre-induction inspection analysis shall be performed for each EMI/EMC SHELTER within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base, Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 Phase II - Repair: After pre-induction tests and inspections have been completed, repair of the EMI/EMC SHELTER shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.

(2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.

(3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

b. Publications and Documentation: The Contractor shall use appropriate technical documentation to restore the EMI/EMC SHELTER to condition code "A."

c. The following Standards and Publications shall be used to assist the Contractor:

SL-3-09272A	Components List for Shelter, Nonexpandable, 20ft, EMI/EMC
TM 5410-14/1	Intermediate Maintenance Instructions Electronics Maintenance Complex

TM 5411-14/1	Marine Corps Expeditionary Shelter System (MCESS) (Small Shelter Family) Operation and Maintenance Instructions
MIL-C-81309	Corrosion Preventive Compounds, Water Displacing, Ultra Thin Film.
TM 5411-14&P/2	Marine Corps Expeditionary Shelter System (MCESS), General Purpose Shelter, Operations and Maintenance Instructions with Repair Parts.
82A5049A0000	Technical Data Package

3.2.3 Phase III - Inspection, Testing and Acceptance

- a. Inspection, Testing and Acceptance of the EMI/EMC SHELTER shall be conducted in accordance with the documents and TM's listed in section 3.2.2.c.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage and shipment to overseas destinations shall be preserved and packaged in accordance with the level A requirements of MIL-DTL-55507. Items being prepared for domestic shipment, immediate use and short term storage shall be to level B requirements.
- b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)

Accountability: GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a

contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.4 Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

3.5 Electrostatic Discharge (ESD) Control Program: The contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

3.6 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality System Model for Quality Assurance in Production, Installation, and Servicing. The program shall ensure quality throughout all areas to include fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

3.7 Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.

3.8 Rejection: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

3.9 Configuration Control: The contractor shall apply configuration control procedures to establish configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by Technical Data Package 82A5049A0000. Deviations from this established baseline configuration shall not be allowed without the express written approval of the Weapon System Manager (Code 844-1). All

permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-STD-973 (paragraph 5.4.2 and Appendix D) may be used as a guide. If it is necessary to temporarily depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

4.0 Reports

4.1 Pre-Induction Checklist: The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each EMI/EMC SHELTER repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, after final acceptance of the EMI/EMC SHELTER.

4.2 Test/Inspection Report: The Contractor shall provide a Test/Inspection Report for each EMI/EMC SHELTER.

4.3 Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each EMI/EMC SHELTER. The report shall be identified by United States Marine Corps Serial Number.

4.4 Monthly Progress Reports: The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the EMI/EMC SHELTER Program.

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.
CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).

12. REMARKS (continue on separate sheet of paper if necessary)

13. FUNDING AND ACCOUNTING DATA

15. DISTRIBUTION ADDRESSEES FOR COPIES

16. FROM:	17. DISTRIBUTION ADDRESSEES FOR DISTRIBUTION
-----------	--

18. TO:	Use window envelope to mail this document. Insert Name and address, including ZIP Code, starting one typing space below the left dot. Each address line must NOT extend beyond right dot. Address must not exceed four single space typing lines.
---------	---

19. IN ACCORDANCE WITH NOTICE OF DISCREPANCY ON FACE OF THIS FORM:			
a. MATERIAL <input type="checkbox"/> HAS BEEN <input type="checkbox"/> WILL BE SHIPPED	DOCUMENT NUMBER	b. <input type="checkbox"/> NO RECORD OF SHIPMENT RESUBMIT REPORT TO PROPER OFFICE UNDER	
c. <input type="checkbox"/> AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED <input type="checkbox"/> CREDIT <input type="checkbox"/> DEBIT	d. <input type="checkbox"/> INVOICE/BILL ATTACHED e. <input type="checkbox"/> PROOF OF DELIVERY		

f. ☐ AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREPANCY WILL NOT BE PROCESSED FOR THE FOLLOWING REASON WHICH IS CITED IN THE INDICATED REGULATION

(1) REASON FOR NOT PROCESSING	(2) PRESCRIBING REGULATION
<input type="checkbox"/> (a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FRAMES ALLOWED AND/OR	<input type="checkbox"/> (a) CHAPTER 5 OF THE GSA HANDBOOK, DISCREPANCIES OR DEFICIENCIES IN GSA OR DOD SHIPMENTS, MATERIALS, OR BILLINGS (FPMR 101.26.8)
<input type="checkbox"/> (b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBED IN THE REGULATION OR AGREEMENT INDICATED IN 191(2)	<input type="checkbox"/> (b) CHAPTER 2 AND/OR 7 OF DOD 4000.25.7.M, MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD OFFER AND ACCEPTANCE, AS APPLICABLE

20. THE FOLLOWING DISPOSITION IS TO BE MADE OF THE REFERENCED MATERIAL		
a. <input type="checkbox"/> PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. <input type="checkbox"/> REPRESENTATIVE WILL CALL FOR DISCUSSION CONCERNING DISPOSITION	DAYS
c. <input type="checkbox"/> RETAIN MATERIAL AT NO CHARGE	d. <input type="checkbox"/> MATERIAL WILL BE PICKED UP IN:	DAYS

e. ☐ SHIP MATERIAL *Specify location)*

(1) ☐ GBL APPROPRIATION CHARGEABLE

(2) ☐ CHARGES COLLECT - VIA: ☐ FREIGHT ☐ EXPRESS ☐ PARCEL POST

(3) ☐ PARCEL POST LABEL ATTACHED (4) ☐ FREIGHT PREPAID

f. ☐ OTHER *(Specify)*

21. <input type="checkbox"/> IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.	22. <input type="checkbox"/> REPLACEMENT WITH SATISFACTORY MATERIAL WILL BE MADE ON/OR BEFORE	DATE
---	---	------

23. REMARKS *(Continue on separate sheet of paper if necessary).*

24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL	24b. SIGNATURE	24c. DATE
---	----------------	-----------

(1 Data Item)

Form Approved
OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY: TDP _____ TM _____ Other <u>XXX</u>					
D. SYSTEM/ITEM Shelter, Nonexpandable, 10 Foot EMI/EMC			E. CONTRACT/PR No.		F. CONTRACTOR				
1. DATA ITEM No. A001	2. TITLE OF DATA ITEM Contractor's Progress, Status, and Management Report			3. SUBTITLE Monthly Progress Report					
4. AUTHORITY (Data Acquisition Document No.) DI-MGMT-80227			5. CONTRACT REFERENCE SOW 4.4		6. REQUIRING OFFICE MARCORLOGBASES (844)				
7. DD 250 REQ. LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY MTHLY	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION					
8. APP CODE		11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION See Blk 16	a. ADDRESSEE	b. COPIES				
16. REMARKS Contractor format is authorized. Block 4 – Tailor DI-MGMT-80227 as follows: Delete paragraphs 10.3g, 10.3h, 10.3i, 10.3j, 10.3k, and 10.3n. Block 12 – The reporting period shall be from the first to last business day of each month. Initial submission shall be 60 days after contract. Block 13 – Subsequent submissions shall be 10 days after the last business day of each month. Distribution Statement A: Approved for public release, distribution is unlimited.					Draft	FINAL			
						Reg	Repro		
				MCLBA (844-1)	0	1	0		
				15. TOTAL					

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

G. PREPARED BY:

H. DATE

I. APPROVED BY:

DATE

DD FORM 1423-1, AUG 96 (EG)

PREVIOUS EDITION MAY BE USED

Page 1 of 1 Pages

Designed using Perform Pro, WHS/D/or, Aug 96

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.

B. EXHIBIT

C. CATEGORY:
TDP TM Other XXX

D. SYSTEM/ITEM
Shelter, Nonexpandable, 10 Foot EMI/EMC

E. CONTRACT/PR No.

F. CONTRACTOR

1. DATA ITEM No.
B001

2. TITLE OF DATA ITEM
Repairable Item Inspection Report

3. SUBTITLE

4. AUTHORITY (Data Acquisition Document No.)
DI-ILSS-80386

5. CONTRACT REFERENCE
SOW 4.3

6. REQUIRING OFFICE
MARCORLOGBASES (844)

7. DD 250 REQ.
LT

9. DIST STATEMENT
REQUIRED
A

10. FREQUENCY
AS REQ

12. DATE OF FIRST SUBMISSION
See Blk 16

14. DISTRIBUTION
a ADDRESSEE
MCLBA (844-1)

b COPIES
Draft
0

FINAL
Reg
1

Repro
0

8. APP CODE

11. AS OF DATE

13. DATE OF SUBSEQUENT
SUBMISSION
See Blk 16

15. TOTAL

16. REMARKS
Block 4 - Contractor format is authorized.

Block 10 - A separate report shall be submitted for Shelter, Nonexpandable, 10 Foot EMI/EMC repaired.

Block 12 & 13 – Submit report by Marine Corps Serial Number 30 days after completion of each Shelter, Nonexpandable, 10 Foot EMI/EMC.

Block 14 – Reports shall be provided hard copy.

Distribution Statement A: Approved for public release, distribution is unlimited.

G. PREPARED BY:
[Signature]

H. DATE
2/24/00

I. APPROVED BY:
[Signature]

J. DATE
2/24/00

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

DD FORM 1423-1, AUG 96 (EG)

PREVIOUS EDITION MAY BE USED

Page 1 of 1 Pages
Designed using Perform Pro, WHS/D/or, Aug 96

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ Other XXX
---------------------------	------------	---

D. SYSTEM/ITEM Shelter, Nonexpandable, 10 Foot EMI/EMC	E. CONTRACT/PR No.	F. CONTRACTOR
--	--------------------	---------------

1. DATA ITEM No. B002	2. TITLE OF DATA ITEM Test/Inspection Reports	3. SUBTITLE NonDestructive Testing and Inspection
--------------------------	--	--

4. AUTHORITY (Data Acquisition Document No.) DI-NDTI-80809B	5. CONTRACT REFERENCE SOW 4.2	6. REQUIRING OFFICE MARCORLOGBASES (844)
--	----------------------------------	---

7. DD 250 REQ DD	9. DIST STATEMENT REQUIRED A	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION a. ADDRESSEE MCLBA (844-1)	b. COPIES Draft 0	FINAL Reg 1	Repro 0
8. APP CODE		11. AS OF DATE AS REQ	13. DATE OF SUBSEQUENT SUBMISSION See Blk 16				

16. REMARKS Block 4 - Contractor format is authorized. Block 12 - Submit test report within 30 days after completion of Production Acceptance Testing. DCMAO will review and provide comments to MCLBA within 30 days of receipt. MCLBA will provide acceptance/nonacceptance to the contractor within 30 days after receipt of recommendations/comments from DCMAO. Block 13 - The contractor shall incorporate any Government comments within 30 days of receipt. This review/approval cycle shall be repeated until the contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited.	15. TOTAL
--	-----------

G. PREPARED BY: <i>Richard A. [Signature]</i>	H. DATE 2/24/00	I. APPROVED BY: <i>Harvey C. [Signature]</i>	J. DATE 2/24/00
--	--------------------	---	--------------------

DD FORM 1423-1, AUG 96 (REG)

PREVIOUS EDITION MAY BE USED

Page 1 of 1 Pages
Designed using Perform Pro, WHS/D/or, Aug 96

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP TM Other XXX
---------------------------	------------	--

D. SYSTEM/ITEM Shelter, Nonexpandable, 10 Foot EMI/EMC	E. CONTRACT/PR No.	F. CONTRACTOR
--	--------------------	---------------

1. DATA ITEM No. C001	2. TITLE OF DATA ITEM Request for Waiver (RFW)	3. SUBTITLE Configuration Management
--------------------------	---	---

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80641B	5. CONTRACT REFERENCE SOW 3.9	6. REQUIRING OFFICE MARCORLOGBASES 825
--	----------------------------------	---

7. DD 250 REQ. LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION a. ADDRESSEE MCLBA 825-2	b. COPIES Draft FINAL Reg Repro
----------------------	------------------------------------	------------------------	--	---	---

16. REMARKS Block 4 - Contractor format is authorized. Blocks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver nonconforming material which does not meet the prescribed configuration documentation. RFWs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFWs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited.	15. TOTAL
--	-----------

G. PREPARED BY: <i>James C. Clark</i>	H. DATE 1/28/00	I. APPROVED BY: <i>Harvey C. Deary</i>	J. DATE 2/24/00
--	--------------------	---	--------------------

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

(1 Data Item)

OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY: TDP _____ TM _____ Other <u>XXX</u>					
D. SYSTEM/ITEM Shelter, Nonexpandable, 10 Foot EMI/EMC		E. CONTRACT/PR No.		F. CONTRACTOR					
1. DATA ITEM No. C002	2. TITLE OF DATA ITEM Request for Deviation (RFD)			3. SUBTITLE Configuration Management					
4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80640B		5. CONTRACT REFERENCE SOW 3.9		6. REQUIRING OFFICE MARCORLOGBASES 825					
7. DD 250 REQ. LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY AS REQ	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION					
8. APP CODE		11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	a. ADDRESSEE	b. COPIES				
16. REMARKS Block 4 - Contractor format is authorized. Blocks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited.									
								15. TOTAL	

G. PREPARED BY: <i>James C Paul</i>	H. DATE <i>1/28/00</i>	I. APPROVED BY: <i>Harvey C Dearing</i>	J. DATE <i>2/24/00</i>
DD FORM 1423-1, AUG 96 (EG)	PREVIOUS EDITION MAY BE USED		Page 1 of 1 Page

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ Other <u>XXX</u>
---------------------------	------------	---

D. SYSTEM/ITEM Shelter, Nonexpandable, 10 Foot EMI/EMC	E. CONTRACT/PR No.	F. CONTRACTOR
--	--------------------	---------------

1. DATA ITEM No. C003	2. TITLE OF DATA ITEM Engineering Change Proposal	3. SUBTITLE Configuration Management
--------------------------	--	---

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80639B	5. CONTRACT REFERENCE SOW 3.9	6. REQUIRING OFFICE MARCORLOGBASES 825
--	----------------------------------	---

7. DD 250 REQ. LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION a. ADDRESSEE	b. COPIES		
8. APP CODE		11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION		Draft	FINAL Reg Repto	

16. REMARKS Block 4 - Contractor format is authorized. Blocks 10 & 12 - ECPs shall be submitted for all proposed changes, which Permanently affect the baseline of a configuration item. MIL-STD-973, Appendix D applies. ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. ECP shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited.	MCLBA 825-2	0	1	0

G. PREPARED BY: <i>James C Clark</i>	H. DATE <i>1/23/00</i>	I. APPROVED BY: <i>Harvey C Deering</i>	J. DATE <i>2/24/00</i>
---	---------------------------	--	---------------------------

DD FORM 1423-1, AUG 96 (EG)

PREVIOUS EDITION MAY BE USED

Page 1 of 1 Pages

Designed using Perform Pro, WHS/D/or, Aug 96

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE